## **Author Index**

Abruña, H.D., see Lorenzo, E. 79

Adams, F., see Ma, R. 395

Akama, Y.

- and Kanno, H.

Liquid chromatographic separation of polycyclic aromatic hydrocarbons with cerium(IV) oxide as packing material 153

Alexander, P.W., see Oungpipat, W. 35

Alonso, A., see García de María, C. 241

Alsberg, B.K.

Resolution of hidden minor peaks in multidetection chromatography by estimation of a single parameter in a 2-D transformation matrix 123

Aucélio, R.Q.

- and Campiglia, A.D.

Solid surface room temperature phosphorimetry analysis of yohimbine hydrochloride in pharmaceutical formulations 349

Bagur, G.

-, Sánchez-Viñas, M. and Gázquez, D.

Determination of molybdenum in various materials by normal-phase liquid chromatography using N-benzoyl-N-phenylhydroxylamine 157

Bakker, E.

- and Pretsch, E.

Lipophilicity of tetraphenylborate derivatives as anionic sites in neutral carrier-based solvent polymeric membranes and lifetime of corresponding ion-selective electrochemical and optical sensors 7

Batley, G.E., see Wu, Q. 95

Bellerby, R.G.J.

-, Turner, D.R., Millward, G.E. and Worsfold, P.J.

Shipboard flow injection determination of sea water pH with spectrophotometric detection 259

Beyer, K.

-, Reinecke, M., Noe, W. and Scheper, T.

Immunobased elution assay for process control 301

Brinkman, U.A.Th., see Van de Nesse, R.J. 135

Burns, D.T.

- and Lewis, R.J.

Investigation into variations in the isomer content within the nitroaromatic component in nitroglycerine-based explosives by gas chromatography with flame ionisation detection 189

Cai, R., see Huang, H. 271 Calvo, A.M. —, Terrón, M.C., Fidalgo, M.L., Pelayo, J.M., Galletti, G.C. and González, A.E.

Pyrolysis—gas chromatography—mass spectrometry characterization of wheat straw alkaline-cooking effluents after biological treatment with the fungi *Phanerochaete chrysosporium* and *Ganoderma australe* 145

Cammann, K., see Conrath, N. 47

Campanella, L.

—, D'Orazio, D., Petronio, B.M. and Pietrantonio, E. Proposal for a metal speciation study in sediments 387

Campiglia, A.D., see Aucélio, R.Q. 349

Chen, H.-R., see Sheu, S.-J. 361

Chi, H., see He, H.-B. 73

Choi, M.F.

- and Hawkins, P.

Investigation of the response of dye-nonaqueous solvent solutions to carbon dioxide 27

Chow, C.W.K., see Kolev, S.D. 293

Conrath, N.

-, Gründig, B., Hüwel, St. and Cammann, K.

A novel enzyme sensor for the determination of inorganic phosphate 47

Crouch, S.R., see Hsieh, Y.-S. 251, 277

Dao, K.L., see Fung, Y.S. 173

Davey, D.E., see Kolev, S.D. 293

Degn, H., see Kotiaho, T. 317 De la Fuente, M.A.

- and Juárez, M.

Determination of phosphorus in dairy products by sample wet digestion in a microwave oven 355

D'Orazio, D., see Campanella, L. 387

Du, Y., see Huang, H. 271

Duarte, R., see García de María, C. 241

Fernández de la Campa, M.R., see Valdés-Hevia y Temprano, M.C. 369

Fidalgo, M.L., see Calvo, A.M. 145

Frye, G.C., see Schneider, T.W. 53

Fung, Y.S.

- and Dao, K.L.

Trace enrichment and ion chromatographic determination of metal oxoanions in environmental water samples 173

Galletti, G.C., see Calvo, A.M. 145

Gao, Q., see Sun, C. 89

Gao, Z.-Q., see He, H.-B. 73

García de María, C.

-, Manzano, T., Duarte, R. and Alonso, A.

Selective flow-injection determination of methanol using immobilized enzyme reactors 241

Gázquez, D., see Bagur, G. 157

González, A.E., see Calvo, A.M. 145

Gooijer, C., see Van de Nesse, R.J. 135

Gopalan, B., see Radha Krishna, G. 333

Grätzel, M., see König, B. 19

Gründig, B., see Conrath, N. 47

Günther, K.

-, Von Bohlen, A. and Strompen, C.

Element determination by total-reflection X-ray fluorescence spectrometry at the initial step of element speciation in biological matrices 327

Haapakka, K., see Kulmala, S. 197

Hakanen, A., see Kulmala, S. 197

Hara, S., see Ishida, J. 211

Hawkins, P., see Choi, M.F. 27

He, H.-B.

-, Siow, K.-S., Chi, H., Gao, Z.-Q. and Hsieh, A.-K.

Determination of molybdenum using polarographic catalytic current 73

Hernández-Hernández, L., see Molina-Holgado, T. 117

Hsieh, A.-K., see He, H.-B. 73

Hsieh, Y.-S.

- and Crouch, S.R.

A stopped-flow/continuous-flow method for kinetic determinations 277

- and Crouch, S.R.

Determination of enzyme substrates with an extended range of linearity 251

Huang, H.

-, Cai, R., Du, Y. and Zeng, Y.

Flow-injection stopped-flow spectrofluorimetric kinetic determination of total ascorbic acid based on an enzyme-linked coupled reaction 271

Hüwel, St., see Conrath, N. 47

Ishida, J.

--, Takada, M., Hara, S., Sasamoto, K., Kina, K. and Yamaguchi, M.

Development of a novel chemiluminescent probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide 211

Jiao, K., see Shi, J. 103

Juárez, M., see De la Fuente, M.A. 355

Kanno, H., see Akama, Y. 153

Kina, K., see Ishida, J. 211

Kinoshita, T., see Kubo, H. 169

olev. S.D.

-, Chow, C.W.K., Davey, D.E. and Mulcahy, D.E.

Oscillating flow injection stripping potentiometry 293 König, B.

- and Grätzel, M.

A piezoelectric immunosensor for hepatitis viruses 19

Kotiaho, T.

-, Lauritsen, F.R., Degn, H. and Paakkanen, H.

Membrane inlet ion mobility spectrometry for on-line measurement of ethanol in beer and in yeast fermentation 317

Kubo, H.

-, Tsujimura, A., Toriba, A. and Kinoshita, T.

Ultraviolet detection of peptides by reversed-phase liquid chromatography using an in-line reactor containing copper metal 169

Kulmala, A., see Kulmala, S. 197

Kulmala, S.

—, Hakanen, A., Raerinne, P., Kulmala, A. and Haapakka, K. Ruthenium(II) tris-(2,2'-bipyridine)-specific extrinsic lyoluminescences of x-ray irradiation colored and electrolytically colored alkali halides 197

Kumamaru, T., see Tao, S. 379

Lauritsen, F.R., see Kotiaho, T. 317

Lewis, R.J., see Burns, D.T. 189

Little, M.J.

- and Wentzell, P.D.

Evaluation of acoustic emission as a means for carbonate determination 283

Lorenzo, E.

—, Sánchez, L., Pariente, F., Tirado, J. and Abruña, H.D. Thermodynamics and kinetics of adsorption and electrocatalysis of NADH oxidation with a self-assembling quinone derivative 79

Ma, R.

-, Van Mol, W. and Adams, F.

Flow injection sorbent extraction with dialkyldithiophosphates as chelating agent for the determination of zinc by flame atomic absorption spectrometry 395

Maeda, M., see Sasamoto, H. 221

Manita, H., see Sasamoto, H. 221

Manzano, T., see García de María, C. 241

Martin, S.J., see Schneider, T.W. 53

Matisová, E.

- and Škrabáková, S.

Applicability of a novel carbon sorbent for the preconcentration of volatile chlorinated hydrocarbons 181

Millward, G.E., see Bellerby, R.G.J. 259

Miyamae, Y., see Narusawa, Y. 227

Molina-Holgado, T.

-, Pinilla-Macías, J.M. and Hernández-Hernández, L.

Voltammetric determination of lead with a chemically modified carbon paste electrode with diphenylthiocarbazone 117

Mulcahy, D.E., see Kolev, S.D. 293

Nakajima, K.

-, Ohta, K. and Takada, T.

Study on the vaporisation of sulphur-containing amino acids in a hydrogen flame by use of molecular emission cavity analysis and liquid chromatography 163

Narusawa, Y.

- and Miyamae, Y.

Evidence of axial diffusion accompanied by axial dispersion with zone circulating flow-injection analysis data 227 Noe, W., see Beyer, K. 301

Ohta, K., see Nakajima, K. 163 Okamoto, Y., see Tao, S. 379

Oungpipat, W.

—, Alexander, P.W. and Southwell-Keely, P.
A reagentless amperometric biosensor for hydrogen peroxide

A reagentless amperometric biosensor for hydrogen peroxide determination based on asparagus tissue and ferrocene mediation 35

Paakkanen, H., see Kotiaho, T. 317
Pariente, F., see Lorenzo, E. 79
Pelayo, J.M., see Calvo, A.M. 145
Petronio, B.M., see Campanella, L. 387
Pietrantonio, E., see Campanella, L. 387
Pinilla-Macías, J.M., see Molina-Holgado, T. 117
Pretsch, E., see Bakker, E. 7
Pu, Q.-L., see Yang, S.K. 307

Radha Krishna, G.

—, Ravindra, H.R., Gopalan, B. and Syamsunder, S. Determination of iron in nuclear grade zirconium oxide by x-ray fluorescence spectrometry using an internal intensity reference 333

Raerinne, P., see Kulmala, S. 197 Ravindra, H.R., see Radha Krishna, G. 333 Reinecke, M., see Beyer, K. 301

Sánchez, L., see Lorenzo, E. 79 Sánchez-Viñas, M., see Bagur, G. 157 Sanz-Medel, A., see Valdés-Hevia y Temprano, M.C. 369 Sasamoto, H.

—, Maeda, M., Tsuji, A. and Manita, H. Highly sensitive immunological assays for human chorionic gonadotrophin and prostatic acid phosphatase using phenacyl phosphate as a chemiluminescent label 221

Sasamoto, K., see Ishida, J. 211 Scheper, T., see Beyer, K. 301

Schneider, T.W.

-, Frye, G.C., Martin, S.J. and Spates, J.J.

Investigation of the quartz resonator as an industrial cleaning monitor 53

Schuster, M., see Unterreitmaier, E. 339

Sheu, S.-J.

- and Chen, H.-R.

Determination of five major anthraquinoids in Chinese herbal preparations by micellar electrokinetic capillary electrophoresis 361

Shi, J.

- and Jiao, K.

Adsorptive complex catalytic polarographic determination of germanium in soils and vegetables 103

Siow, K.-S., see He, H.-B. 73 Škrabáková, S., see Matisová, E. 181 Southwell-Keely, P., see Oungpipat, W. 35

Spates, J.J., see Schneider, T.W. 53

Strompen, C., see Günther, K. 327

Sun, C.

-, Gao, Q., Xi, J. and Xu, H.

Determination of germanium(IV) by catalytic cathodic stripping voltammetry 89

Syamsunder, S., see Radha Krishna, G. 333

Takada, M., see Ishida, J. 211 Takada, T., see Nakajima, K. 163 Tao, S.

-, Okamoto, Y. and Kumamaru, T.

Inductively coupled plasma atomic emission spectrometric determination of beryllium in aluminium-based alloys and rock samples by introducing beryllium into the plasma as ethylberyllium species 379

Terrón, M.C., see Calvo, A.M. 145 Tirado, J., see Lorenzo, E. 79 Toriba, A., see Kubo, H. 169 Tsuji, A., see Sasamoto, H. 221 Tsujimura, A., see Kubo, H. 169 Turner, D.R., see Bellerby, R.G.J. 259

Unterreitmaier, E.

- and Schuster, M.

Fluorometric detection of heavy metals with N-methyl-N-9-(methylanthracene)-N'-benzoylthiourea 339

Valdés-Hevia y Temprano, M.C.

—, Fernández de la Campa, M.R. and Sanz-Medel, A. Comparison of plumbane and tetraethyllead for the determination of lead by inductively coupled plasma atomic emission spectrometry 369

Van de Nesse, R.J.

—, Van der Wegen, R.J., Gooijer, C., Brinkman, U.A.Th. and Velthorst, N.H.

Simultaneous and consecutive two-photon excited fluorescence detection in conventional-size liquid chromatography

Van der Wegen, R.J., see Van de Nesse, R.J. 135

Van Mol, W., see Ma, R. 395

Velthorst, N.H., see Van de Nesse, R.J. 135

Von Bohlen, A., see Günther, K. 327

Wentzell, P.D., see Little, M.J. 283 Worsfold, P.J., see Bellerby, R.G.J. 259 Wu. Q.

— and Batley, G.E.

Determination of sub-nanomolar concentrations of lead in sea water by adsorptive stripping voltammetry with xylenol orange 95

Xi, J., see Sun, C. 89 Xu, H., see Sun, C. 89

Yamaguchi, M., see Ishida, J. 211 Yang, S.K.

—, Yang, T.J. and Pu, Q.-L.

Reactions of temazepam in acidic aqueous solution via oxygen-18-labeled product analysis by mass spectrometry 307 Yang, T.J., see Yang, S.K. 307 Yue, G., see Zhang, Y. 63

Zeng, Y., see Huang, H. 271 Zhang, T.-Y.

- and Zhu, S.-M.

On-line electrochemistry-liquid chromatography with UV ab-

sorbance detection for elucidating the electrochemical oxidation mechanism of  $\alpha$ -tocopherol in methanol 111

Zhang, Y.

- and Yue, G.

Study of the enhancement of the boron-beryllon III system by anion surfactant using oscillopolarography 63

Zhu, S.-M., see Zhang, T.-Y. 111

